

ACANTHODIACRODIUM polimorphum

Timofeev 1959

Timofeev 1959, p. 71, pl. 6, fig 9

> ACTINOTODISSUS by Maczydtowska & Stockfors 2004 p. 29

* = *A. golubi*, according to
Parsons & Anderson 2000 p.44

- (cf) Elaouad-Debbay 1984 : Late Arenigian Morocco
(cf) Dewff & Chauvel 1970 (pl.1, fig.7) : Arenigian France
Timofeev 1959 : Middle-Late Cambrian, USSR
Ribecai & Vanguerstaine 1993 (pl.1, fig.2) : Late Cambrian Belgium
Volkova & Golub 1985 (p.91-92, pl.7, figs. 5-7) Late Cambrian USSR
Mens & Puura 1996 : Late Cambrian Estonia
Mens, Paalits & Puura 1997 : Late Cambrian, NW Estonia
Volkova 1993c : Late Cambrian Estonia
Volkova & Mens 1988 : Early Ordovician North Estonia
Volkova 1990 : Late Cambrian East European Platform
Horaicu 1998 (pl.2, fig.4) Middle Cambrian Romania
Volkova 1988a : Early Tremadoc Estonia
Michniak & Oikowicz-Paprocka 1976 Tremadoc Poland
* Volkova & Golub 1984 (pl.1, fig.3) Late Cambrian USSR
Umnova 1974 : Tremadoc Russian Platform USSR
Moczydłowska, Popov & Stockfors 2004
latest Cambrian/Tremadoc, Kolguev Islands Arctic Russia

ACANTHODIACRODIUM polimorphum

Timofeev 1959

Umnova & Vanderflit 1971 : Tremadoc, NW Russian Platform USSR

Volkova 1989b : Tremadoc, Estonia and/or Leningrad region, USSR

Volkova 1989a : Late Cambrian - Tremadoc, northern Estonia

AD: Milia & Tongiorgi 1993 : Early Tremadoc, Central Sardinia, Italy

