

1  
STELLECHINATUM sicaforme

Molyneux in Molyneux and Rushton 1988 p. 60 figs 51m, 51a (holotype 51a)  
emend Servais & Molyneux 1997 p. 131-132

> ACTINOTODISSUS by Sivertseva & Volkova in  
Volkova & Sivertseva 1991 p. 156

- Molyneux and Rushton 1988: Late Tremadocian / Early Arenigian <sup>NW</sup> England
- Servais & Katzung 1993 (Fig 2.8 & 2.9) late Tremadoc / early Arenig NE Germany
- Servais 1994: Tremadoc / Arenig boundary NE Germany
- Molyneux 1990 Early Arenig England
- Cooper Rushton et al. 1995: Late Tremadoc - Early Arenig NW England
- Servais & Molyneux 1997 (p. 131-132 pl. 7, figs. 1-17 pl. 8, figs 1-8)  
Late Tremadoc / Early Arenig Baltic Sea NE Germany
- Molyneux 1999: Early Arenig, Isle of Man, UK
- Mette & Servais 1999: Late Tremadoc / Early Arenig, Southwest Spain
- Molyneux 1999b: Late Tremadoc / Early Arenig - Early Arenig  
Northwest England
- Servais & Mette 2000 (pl. 2, figs. 9-12): latest Tremadoc SW Spain
- Vanguestaine & Servais 2002: probable latest Tremadoc  
Stavelot Intier eastern Belgium
- Yin & He 2000: Late Llandovery, northwestern Zhejiang Province, China
- Breuer & Vanguestaine 2004: latest Tremadoc  
Stavelot Intier Belgium
- Vecoli & Le Hérisse 2004: Late Tremadoc - Early Arenig (chit. *gura* Parv 1950) <sup>stage 2, baculata</sup>  
Northern Gondwana

2  
STELLECHINATUM sicaforme

- Molyneux (in Pratt et al) 1995 (pl. 3, fig. k) Early Arenig  
Cadair Idris region North Wales
- Cooper et al. 2004 : Tremadoc Lake District NW England
- Molyneux, Raevskaya & Servais 2007 : Late Tremadoc  
(subassemblages 1-4 of *C. messaudiensis*-*S. trifidum* Acitarc assembly)  
Northwest England  
latest Tremadoc (=subassemblage 4)  
Stavelot talier, Belgium, Ardennes
- (s.l.) Molyneux 2009 : Late Tremadoc - Arenig (Floian)  
\* NW England = Lake District
- Toro de la Puente & Rubinstein 2010 (Fig. 4m) Late Tremadoc  
'Pascha-Incamayo area, Salta Province, NW Argentina

