

T'

ADORFIA firma

Burmann 1970

Burmann 1970, p. 295, pl. 5, fig 3, 4

- > MULTIPLICISPHAERIDIUM by Cramer & Diez 1979 p. 43 : invalid; full basionym not given
by Ferrone et al 1990 p. 346
- > SCHIZODIACRODIUM by Sargeant & Vavřdová 1997 p. 30

Burmann 19763: Arenig, East Germany

Burmann 1970: late Arenigian or early Llanvirnian, E. Germany

Martin 1975 (p.15, pl. IV, fig. 2): probable Llanvirnian, Belgium

(cf) Li Jun 1987 (p.615, pl. 70 fig 7): early Arenigian China = *A. hoffmannensis*

Diez and Cramer 1977a: late Arenigian - early Llanvirnian (range uncertain)

Vavrdova 1988 (pl. 4, fig 3) reworked in latest Ordovician Czechoslovakia

Andre Herboloch et al. 1991: Arenig-Llanvirn Belgium

(?) Broeke, Li & Wang 1999: Early Arenig, South China

(?) Broeke, Li & Wang 2000: Late Arenig Sichuan South China

Quintavalle, Tongiorgi & Saetani 2000

Arenig (D. nitidus / mid-l. gibberulus graptolite zones)
northern Karakorum Mts, Pakistan

Tongiorgi, Yin Leiming & Di Milia 2003 (p. 47-48 pl. 1, fig. 2)

Arenig (Yushanian A. suecicus graptolite zone)
Hubei Province South China

Delcambre & Pingot 2002: late Arenig,
Chastre - Sembloux, Brabant Massif Belgium

(?) Vanguerstam 2008: late Arenig Senne-Sennette river valleys
Brabant Massif Belgium
(pl. 1, fig. 15, pl. 2, fig. 1)

ADORELIA firma

Burmann 1970

Vanguestaine & Wauthoz 2011 (p. 7 pl. 1, fig. B)
Middle Ordovician (early Darriwilian)
Thyle river section, southern Brabant Massif, Belgium

