

T

ARKONITES bilixus

Legault 1973

Legault 1973, p. 52-53, pl. 11, fig. 22, 23

d. Pasquo 2009 : reworked in Pennsylvanian
(late Bashkirian / Moscovian)
Salta Province Argentina

Legault 1973 : Givetian, Ontario, Canada

Wicander - Wood 1981 (p. 31, pl. 5, fig. 3) : Givetian, NW Ohio, USA

Wicander 1984 (pl. 1, fig. 4) : Givetian range USA

Barreda 1986 (pl. 3, fig. 9) : Givetian/Frasnian ~~Bolivia~~ Argentina

Wicander & Wright 1983 (Figure 4.6) Eifelian-Givetian Ohio USA

Vavrdova, Isaacson et al. 1993 : Early Tournaisian, Bolivia (VI or NV)

Ottone 1996 (p. 121, pl. 4, fig. 4) : Late Givetian / Early Frasnian Argentina

Rubinstein 1999 (Figure 2B) : Givetian-Frasnian boundary,
San Juan Precordillera, Argentina

Díaz-Martínez et al. 1999 Late Famennian, western Bolivia

Huysken et al. 1992 : Givetian Kentucky, USA

Rubinstein 2000 : } Middle / Late Givetian, San Juan Precordillera,
western Argentina

Rubinstein 2000 (résumé)

Amenábar et al. 2006 (Figure 3A) : Devonian

Río Blanco Basin San Juan Province NW Argentina

d. Pasquo 2007b : Early Viséan (reworked)

Balapuca, Tarija Basin southern Bolivia

2
ARKONITES bilixus

- Turnau & Racki 1999 (pl. 4, fig. 19) : Early-Late Sivetian central Poland
- Amenábar 2009 (Figure 4c) : late Emsian / early Eifelian
San Juan Province, western Precordillera NW Argentina
- del Papa & di Pasquo 2007 : reworked in Westphalian
Tarija Basin NW Argentina
- Amenábar 2006 (Figure 5J) : reworked in Viséan sediments
San Juan Province NW Argentina
- Amenábar, di Pasquo & Azcuy 2009 : early Sivetian
(pl. 1, fig. A) Río Blanco Basin, Precordillera of Argentina

