

T 1

ARYBALLOMORPHA grootaertii (Martin) Martin & Yin Leiming 1988

p. 113-114
emend

1982 *Acritarch* gen. et sp. nov. A Martin & Dean, p. 138, pl. 1, fig. 13

1984 *Americanium grootaertii* Martin, p. 442-444, pl. 52.1, figs. 1-9, pl. 52.2, figs. 1-4
(holotype pl. 52.1, figs. 8-9)

Martin and Dean 1982 : Late Tremadocian Alberta, Canada

Martin 1984 : Late Tremadocian, Alberta, Canada

Tongiorgi in Bagnoli et al. 1988 (p. 185, pl. 31, figs. 1-8, pl. 32, figs. 1-5) : Middle / Late Tremadocian Sweden

Martin 1993 (pl. 1, fig. 13) Tremadocian NE China

Martin 1992 (p. 21-22, pl. 3, figs. 6-13) Tremadocian W. Canada

Martin & Yin 1988 (p. 113-114, pl. 13, figs. 1-11, pl. 14, figs. 1-2)

Late Tremadocian - latest Tremadocian / earliest Arenigian NE China

Volkova 1995 (pl. 3, fig. 2) : Late Tremadocian Baltic Province

Volkova 1997 : Late Tremadoc Baltic Province

Yin 1995 (p. 37 & 118, pl. 1, figs. 1-3, 5-7, 10-12, pl. 34, figs. 5-6, pl. 36, figs. 3-6)

Tremadoc & late Tremadoc / early Arenig Hubei China

Volkova 1993c : Late Tremadoc, Estonia

Brocke & Fatka 1999 : Tremadoc / Arenig boundary -

Shavidel-Syooki, 2003 : Tremadoc / Arenig - Arenig

(pl. 2, fig. 12) eastern Central Iran

Zang 2000 abstract : Late Tremadoc / Early Arenig

Warburton Basin, South Australia

ARYBALLOMORPHA grootaertii

Paškevičienė 2003 Tremadoc (Varangu Regional Stage)
SE Baltic area (Lithuania / Kaliningrad)

Kirichkova et al. 2007 : Tremadoc, East European Platform, Russia

