

1
ASTERIDIUM spinosum

(Volkova) Maczydtowska 1991

1969 *Micrhystridium spinosum* Volkova, p. 229, pl. 50, fig. 14-16

p. 48

> COMASPHERIDIUM by Sargeant & Stancliff 1994 p. 27

Fatka & Vavrdová 1998 (pl. 2, fig. 10) : Early Cambrian, Czech Republic

Moczydłowska 1998 (p. 51-52, Fig. 20D) :

Middle Cambrian Upper Silesia Poland

range Early-Middle Cambrian Upper Silesia Poland

Palacios & Moczydłowska 1998 :

late Early-early Middle Cambrian northeastern Spain

Lindström et al. 1999 : Early Cambrian, Sweden

Mens & Pirrus 1997 b : late Early Cambrian, Estonia

(Võrgale Regional Stage)

Mens Paalits & Puura 1999 : Early Cambrian, Estonia

(cf.) Śunia 1999 (pl. 2, fig. 20) : Cambrian, Góry Sowie Mts Poland

Vavrdová & Bek 2001 : late Early Cambrian, SE Moravia, Czech Republic

Brück and Vanguerstaine 2004 : mid Early Cambrian,

(p. 205, figs 4.7-4.8, 4.11-4.14) south County Wexford coast, Ireland

Vanguerstaine & Brück 2008 (pl. 1, figs 4-5) Middle Cambrian

Booley Bay, County Wexford Ireland

ASTERIDIUM spinosum

Szczepanik 2000a : Middle Cambrian
Pomeranian Caledonides foreland
Western Peribaltic Syncline Poland

(6) Szczepanik 2001 : Late Cambrian
southern Kysogóry region, Holy Cross Mts., Poland
Prasad, Asher & Borgohai 2010 (p. 2, fig. 2, p. 13, fig. 21, p. 11, fig. 13)
early Early - late Middle / early Late Cambrian
Bikaner - Nagaur Basin, Rajasthan, India

