

BALTISPHAERIDIUM hamatum (Downie) Kjellstrom 1976

p. 18

- 1958 *Hystriosphæridium hirsutoides* var. *hamatum* Downie, p. 335, pl. 16, fig 1
text-figs 2j-k
- 1965 *Baltisphaeridium hirsutoides* var. *hamatum* (Downie) Downie & Sargeant p. 91
- 1965 *Micohystridium hamatum* (Downie) Deflandre & Deflandre-Rigaud,
- 1973 *Acanthodiacrodium hamatum* (Downie) Martin, p. 32-33

- Downie 1958: Late Tremadocian, England
- Görka 1967 (pl. 1, fig. 4): middle Ordovician, Gotland, Sweden
- Görka 1979: Llanvirnian, Poland (p. 359-360, pl. 13, fig. 6)
- Kjelleström 1976: middle Ordovician, Sweden (p. 18, Fig. 12)
- Martin 1975: Early Tremadocian, Belgium
- (cf) Cocchio 1962: Tremadocian, France
- Downie & Ford 1966 (p. 313) Tremadocian, England
- Diez & Cramer 1974: Tremadocian range
- Rasul & Downie 1974: early-late Tremadocian, England
- Li 1962 (p. 722, pl. 2, fig. 11) Llanvirnian?, Central Hebei, China
- (cf) Volkheimer, Meléndez & Aceñolaza 1960: Early Ordovician/Llanvirnian, Argentina
(p. 408, pl. 2, figs 5-6; text-fig. 5)
- Uutela & Tynni 1991 (p. 40, pl. 4, fig. 39): E. Llanvirn - E. Llandeilo, Estonia
- Ghavidel-Syooki & Khorravi 1995 (pl. 1, fig. 9): Caradoc / Ashgill, Iran
- Wallin & Hagenfeldt 1996: M. Ordovician (Upper Kukkure Stage), Sweden
- Reitz & Höll 1992: Tremadoc, Eastern Alps, Austria
- Fombella & Andrade 1997: Llanvirn / Llandeilo?, NW. Spain

BALTIOPHAERIDIUM hamatum

Uutela 1989 (p. 24 pl. 1, fig. 8) = early Middle Ordovician
coast of southwestern Finland

Tynni 19823 (p. 67, pl. 4, fig. 15) = Middle Ordovician
Åland Islands, SW Finland

(?) Riding & Kyffin-Hughes 2006: Tremadoc, Shropshire, England

Trela & Szczepanik 2009 (Fig. 4.58) Late Caradoc
Holy Cross Mountains, Poland

Szczepanik 2003 (pl. 1, fig. 12) Llanvirn
Peribaltic Syncline northern Poland

Prasad, Asher & Borgohai 2010 (pl. 3, fig. 8)
late Middle/early Late Cambrian

Bikaner-Nagaur Basin, Rajasthan, India

