

BALTISPHAERIDIUM paucispinum

Kjellström 1971a

Kjellström 1971a, p. 38, pl. 2, fig. 9 illegitimate: jr. homonym of *B. paucispinum* (Deunff)
Downie & Sargeant 1965

> *B. perpaucispinum* by Kjellström 1972c

- (aff.) Sheshegova 1982a Middle Ordovician
(p. 148, pl. 33, fig. 17) Siberian Platform USSR
- (cf.) Elaouad-Debbay 1981 : Ashgill
(p. 29, pl. 11, figs. 2 & 6) Bucaco Syncline Portugal
- (cf.) Whelan 1988 thesis (p. 214-215, pl. 13, fig. 11) Ashgill
Sirvan Ayrshire Scotland

BALTISSPHAERIDIUM paucispinum (Deunff 1954 b fig 14 ex Deunff 1961 b)
Downie & Sargeant 1965 p 94

1954a *Micrhystridium paucispinum* Deunff; fig. 14 *nomen nudum* holotype designated
by Deunff 1961 b p 217

1963 *B. paucispinum* (Deunff) Downie & Sargeant, p. 90-91 *invalid; full basionym not given*

Fu 1986b (pl. 2, fig. 12) Late Ordovician Shaanxi China
Zhong 1981 (pl. 2, fig. 6) : late Early Ordovician near Yacheng ~~China~~ Hubei China
Aristova 1976a : Middle Ordovician, Estonia
Hu 1986 (pl. 8, fig. 17) : Arenig, Shaanxi Province, China