

1
CYMATIOGALEA bouvardii^{*}

Martin 1973

Martin 1973, p. 39, pl. 3, figs 1, 4 (holotype), f, 14, 17 ^{*} o.c.
-40

- Martin & Dean 1961: late Cambrian-early Tremadocian, E Canada
- Diez and Cramer 1977a: Tremadocian range
- Martin 1973: Tremadocian, France
- Reitz & Höll 1989 (pl. 1, fig. 2) Tremadocian Austria
- PittFau 1985 (p. 182 pl. 8 fig. 3): Late Tremadocian, Sardinia Italy
- Reitz & Höll 1992: Tremadoc Eastern Alps Austria
- (cf.) Rubinstein 1997 (pl. 1, fig. 11) Tremadocian, northwestern Argentina
- Eames & Miller 1988: Late Cambrian offshore eastern Canada
- (cf.) Manca et al. 1995: Tremadoc Argentina
- (cf.) Ercegovac & Dajić 1996: Late Ordovician
Eastern Serbia Yugoslavia
- (cf.) Vergel, Araújo & Rubinstein 2002: Tremadoc
Salta Province NW Argentina
- Sheshigova 1982a (p. 150 pl. 34, fig. 14) Early Ordovician
Siberian Platform USSR
- Seghedi, Vaida, Jordan, Verniers 2005: Tremadoc / Arenig
Moesian Platform, Romania

2
CYMATIOCALEA bouvardii

Di Milia & Tongiorgi 1993: Early Tremadoc
Central Sardinia Italy

