

1  
DACTYLOFUSA cabottii (Cramer 1970 ex Eisenack et al. 1976)  
Fensholt et al. 1990 p. 179

1970 *Eupoikilofusa cabottii* Cramer, p. 7, pl. 4, figs 66, 67, text-fig 25h *invalid*  
*holotype not designated*

1976 pl. 4, fig 66 designated as holotype by Eisenack et al. 1976

1982 *Moyeria cabottii* (Cramer) Miller & Barnes, p. 242

Li 1995 (p. 458-459 pl. 4, figs. 3 & 6, pl. 5, fig. 5) Caradoc Xinjiang China

Li & Wang 1997a (p. 181 pl. 4, figs. 1-8, 10-12, pl. 5 figs. 4-10)  
Caradoc - Ashgill Tarim Basin China

Rubinstern & Brussa 1999 (pl. 1, fig. 10)  
Llandovery (late Aeronian / early Telychian)  
Central Precordillera Argentina

Rubinstern & Vaccari 2000 (abstract) Llandovery NW Argentina

Li, Wang, Qi & Zhu 2000 (pl. 1, figs. 18-19)  
Late Ludlow - Early Prídoli northern Jiangsu, S. China

Wang, Li & Broeke 2000 abstract: Ludlow - Prídoli  
Guangyuan Sichuan Province China

Yin & He 2000 (pl. 2, figs. 1 & 6, pl. 4, figs. 3 & 10)  
'Mid/Late' Ashgill - Late Llandovery  
northwestern Zhejiang Province China

Li 2004 abstract: Late Caradoc, Tarim Basin, NW China  
- Ashgill

2  
DACTYLOFUSA cabottii

- Yin, Yuan Zhang & Fu 1993 (p. 180-181, pl. 1 figs. 10 & 16, pl. 2, figs. 2-3 & 6)  
Llandovery / Wenlock Ordos Basin, China
- Li, Wicander, Yan & Zhu 2006 (p. 109-111, pl. 2, figs. 3-7) : Caradoc - Ashgill.  
Dawangou, Xinjiang, NW China
- Li & Wang 1999 : Middle / Late Caradoc - Ashgill  
Tarim Basin, Xinjiang, NW China
- (cf) Vanguerstaine & Wauthoz 2003 (pl. 2, fig. C) : Late Llandovery (Late Telychian)  
Basècles, Belgium
- Fan, Pu, Qi & Han 2007 (Figures 9, 11 & 14) : Early Silurian  
Take area Tarim Basin, Northwestern China
- Li, Wicander, Yan, Zhu, Huang & Tang 2007 (pl. 1, fig. 6, pl. 2, fig. 1)  
Caradoc - Ashgill Dawangou, Xinjiang, NW China
- Li, Wicander, Yan & Zhu 2005 abstract : Caradoc  
Dawangou, Xinjiang, NW China

