

1
DACTYLOFUSA cucurbita

Jardiné et al 1974

Jardiné, Combaz, Magloire, Peniguel & Vachey 1974, p. 128, pl. III, fig. 5, 6

(invalidly transferred to *EUPOMILOFUSA* by Pöthe & Baldu 1981)

> *SAHARIFUSA* by Pöthe & Baldu 1997 p. 50

- Jardine et al. 1974: Caradocian / ?Ashgillian, Algeria
- Vavrdova 1977: latest Ordovician, Czechoslovakia
- Grignani et al. 1991 (pl. 4, fig. 5) Late Ordovician, Libya
- Steenmans, Le Herissé & Bozdogan 1996: Middle / Late Ashgill, S. E. Turkey
- Olaru 1998b (pl. 1, fig. 3): Caradoc / Ashgill, N. Dobrugea, Romania
- Vecoli et al. 1999: Ashgill, Southern Tunisia & Algerian Sahara
- Olaru 1999 (pl. 2, figs. 1, 2, 17) Caradoc / Ashgill, N. Dobrugea, Romania
- Samuelsson Vecoli & Beier 2001: Ashgill, southern Baltic Sea
- Vecoli 1999 (p. 38 pl. 7, fig. 1): Ashgill, Tunisia & Algeria
- Vecoli & Le Hérisse 2004: Late Ashgill, northern Gondwana
- Machado Cardoso & Rodrigues 2004 abstract:
Late Llandovery / early Wenlock,
Amazonas Basin, Brazil
- Cardoso & Rodrigues 2003 abstract: ditto
- Cardoso & Rodrigues 2005a: ditto
- Vecoli 2008: Hirnantian (extraordinarius - persculptus gr. Jones)

2
DACTYLOFUSA cucurbita

Vecoli, Riboulleau & Versteegh 2009:

Late Ordovician (Hirnantian)

Shadamis Basin, southern Tunisia

Cardoso & Rodrigues 2007: Late Llandovery / Early Wenlock

Amazon Basin, northern Brazil

