

1
DACTYLOFUSA striatogranulata

Gardiné et al 1974

Gardiné, Combaz, Magloire, Peniguel & Vachey 1974, p. 126, pl. II, fig. 1

- > POIKILOFUSA by Playford & Martin 1984 p. 206-209
- > SAHARIFUSA by Pöthe de Baldu 1997 p. 50

Gardinè et al. 1974 : Caradocian - Llandoveryan, Algeria
 Vavrdera 1988 : latest Ordovician Czechoslovakia
 Steemans, Le Hérisse & Bozdoğan 1996 (pl. 7, figs 10-11)
 Middle / Late Ashgill SE Turkey
 Bär & Riegel 1980 : latest Ordovician / earliest Silurian Ghana
 Vecoli et al. 1999 : Ashgill, Algerian Sahara & southern Tunisia
 Olaru 1999 (pl. 1, fig. 19) : Caradoc / Ashgill, Romania
 Vecoli 1999 (p. 39 pl. 6, fig. 2) : Ashgill, Tunisia & Algeria
 Aristova 1980b : Early Tremadoc, Moscow Syncline USSR
 Vecoli & Le Hérisse 2004 : Late Ashgill, northern ^{Gondwana} Hemisphere
 (cf.) Rubinstern 2005 : Late Llanvirn / earliest Caradoc
 Subandean ranges, NW Argentina
 Achat Rubinstern & Astini 2006 (pl. 2, fig. 6) : Arenig, NW Argentina
 Quintavalle & Playford 2006a : Llanvirn (= Darriwilian "part")
 (p. 30-31, pl. 5, figs. 1 & 12) Canning Basin, western Australia
 Vecoli 2008 : Hirnantian (extraordinarius - persculptus graptolite zones)

2
DACTYLOFUSA striatogranulata

Vecoli, Riboulleau & Versteegh 2009 (pl. 1, fig. 5)
Late Ordovician (Hirnantian)
Shadamis Basin, southern Tunisia

