

DICOMMOPALLA macadamii

Loeblich 1970b

Loeblich 1970b, p. 39, figs. 1-12 (holotype fig. 1)  
40, 43

- Colbath 1980 : late Ordovician Indiana USA
- Legault 1982 (pl. 1, fig. 13) : late Caradocian - Ashgillian, Labrador Sea
- Colbath 1979 : Caradocian, Indiana USA
- Rubenstein 1989 (p. 464 pl. 4, fig. 1, pl. 5, fig. 6) : Ludlovian Argentina
- Uutela & Tynni 1991 (p. 59 pl. 12, fig. 117) : 'Llandeilo - Ashgill', Estonia
- Tappan 1980 (Figure 3.21, 1-2) Late Ordovician Indiana USA
- Loeblich 1970b : Late Ordovician Indiana USA
- Gładysz, Jachowicz & Piekarski 1990 (pl. 1, fig. 1-2) Ordovician Poland
- Martin 1983a (p. 22 pl. 12, fig. 18) : Caradoc Ontario Canada
- Colbath 1986b : Late Ordovician southern Appalachians USA
- Vecoli et al. 1999 : Ashgill southern Tunisia & Algerian Sahara
- Uutela 1989 (p. 28 pl. 4, fig. 27) : Middle Ordovician, coast of southwestern Finland
- Paškevičienė 2001 : Late Caradoc (Oandu Regional Stage)  
Middle Lithuanian Depression
- Vecoli 1999 (p. 40 pl. 6, fig. 5) : Ashgill, Tunisia & Algeria
- Vecoli & Le Hérisse 2004 : 'Late Ashgill', northern Gondwana

# DICOMMOPALLA macadamii

- Prasad & Asher 2001: Ashgill / Early Llandovery  
 (pl. 17, fig. 12, pl. 23, figs. 13-14) Ganga Basin, Northern India
- Vecoli 2008: Hirnantian (extraordinarius - persculptus gr. zone)
- Brnda et al. 1996 (pl. 1, fig. 13) Caradoc, S. Saskatchewan, Canada

