

ELATERA binata

Hermann in Herman & Timofeev 1985

Hermann 1985

pl. 8, figs. 1-2 (holotype)

in Hermann & Timofeev

tubular, segmented organic-walled microfossil

German and Podkovyrov 2009: Late Riphean (1015-1025 Ma)
(Figs 25-11 & 3C) Uchur-Maya region, SE Siberia, Russia

Gnilovskaya et al. 2000 (pl. 2, fig. 13): Late Riphean Timan Russia
Veis & Petrov 1994 (pl. 3, figs 7 & 12): Riphean
Anabar Massif, Siberia, Russia

Veis Petrov & Vorob'eva 1998 (pl. 3, fig. 1): Late Riphean,
Turukhansk Uplift, Siberia, Russia

Jankauskas et al. 1989 (p. 146, pl. 51, figs. 5a-5b)
(editor-in-chief) Late Riphean USSR

Veis, Vorob'eva & Solubkova 2006: E. Vendian
Vychedga depression NE margin of E. European Platform, Russia

Vorob'eva, Sergeev & Semikhatov 2006 (Fig. 2K): Early Vendian
southern Timan region Russia

Yakshin, Nagovitsin, Faizullin 2004
Late Riphean (Lakhandinian)
Siberian Platform, Russia

Vorob'eva, Sergeev and Knoll 2009 (p. 187, Fig. 15.5)
Vendian (= early/middle Ediacaran)
NE margin of East European Platform, Russia

²
ELATERIA binata

Vorob'eva Sergeev and Knoll 2009 b:
'Vendian (early Ediacaran, Vychedga Horizon)
Timan trough region northern Russia

