

1

ELEKTORISKOS aurora

Loeblich 1970a

Loeblich 1970, p. 717-718, figs. 12A-D

> COMASPHAERIDIUM by Eisenack et al 1976  
retained as type species of ELEKTORISKOS

- Loeblich 1970a: Middle Silurian, New York USA
- Dorning 1981a: Late Llandoveryan - Wenlockian, England
- Amelror 1987: Llandoveryan, Norway
- Martin & Richards 1979 (pl. 1, fig. 10): Idurian - Fronian, Belgium (= Llandoveryan)
- Dorning 1983: Wenlockian, England
- Downie 1984 (fig. 6.16): early Llandoveryan - early Wenlockian, Britain
- Dufka & Pacltara 1988: Late Llandoveryan, Czechoslovakia
- White Barron et al. 1991: Late Llandoveryan, Scotland
- Tappan 1980 (Figure 3.8.5) Middle Silurian, New York USA
- Martin 1989: Late Llandovery - Early Wenlock range
- Le Hérisse, Al-Tayyar & Van der Beem 1995: E.-M. Llandovery } Saudi Arabia
- Bultynck & Martin 1982 (pl. 2, fig. 12) E. Wenlock
- Late Llandovery / Early Wenlock, Argentina
- Pötke de Baldis 1997 (p. 470 pl. 2, fig. f):
- Early / Middle Llandoveryan, Argentina
- Le Hérisse 1989 (p. 122 pl. 10, figs 3-4): latest Llandovery - earliest Wenlock, Gotland, Sweden

2  
ELEKTORISKOS aurora

Le Hérisse 2000 (pl. 4, fig. 4): Llandovery (Late Rhuddanian)  
Saudi Arabia

Pöthe de Baldis 1996: Early Llandovery Argentina

Masiak, Podhalańska & Stępień-Satek 2003

Llandovery (acuminatus - vesiculosus Zones)  
Holy Cross Mountains Poland.

Felsthorpe 2004: latest Llandovery - earliest Wenlock  
Gotland Sweden

Vanguerstaene & Wauthoz 2003: Late Llandovery (Late Telychian)  
(pl. 1, fig. N) Basècles, Belgium

Jachowicz 2000 (pl. 3, fig. 9) Late Ludlow (Early Ludfordian)  
Pomeranian Caledonides northern Poland

Le Hérisse, Dornig, Mullins & Wicander 2009 (pl. 2, fig. 4)  
Silurian Saudi Arabia

Masiak & Treli 2010 b: Early Llandovery (Rhuddanian)  
Bardo Stawy, Holy Cross Mountains, Poland