

r

EVITTIA sommeri

Brito 1967a

Brito 1967a, p. 477-478, pl. 1, fig. 9-12 (holotype fig. 9)

1966 *Evittia sommeri* nom. nud. Brito, p. 78

- > BALTUSPHAERIDIUM by Cramer 1970
  - > MULTIPLICISPHAERIDIUM by Eisenack et al 1973
- retained as type species of EVITTIA by later authors

- Brito 1967a : Early Devonian? (Zone R, Maranhao Basin, Brazil)
- Brito 1967b (pl. 3, fig. 3) : Early Devonian? (Zone R) Brazil
- (cf) Vavrdova 1977 (pl. IV, fig. 1) : Arceyian-Llanwernian & Llanwernian, Czechoslovakia
- Brito 1967d (pl. 2, fig. 9) : Early Devonian, Brazil
- Cunha & Oliveira 1989 : Famennian Portugal
- Quadros 1988 (Fig. 18) : Emsian-Strunian/Tournaisian Brazil
- Brito & Quadros 1984 : Emsian-Strunian Brazil
- Vavrdova, Bek et al. 1996 (pl. 1, fig. 7) : Pragian northern Bolivia
- Loboziak et al. 1997 (pl. 2, fig. 8) : Late Famennian Brazil
- Brito 1971 : 'Early / Middle Devonian' Brazil
- Vavrdová & Isaacson 1997 (pl. 1, fig. 1) : Sedinian, northern Bolivia
- Troth 2004 abstract : Eifelian, Bolivia
- Brito & Quadros 1995 (pl. 2, fig. 1) : reworked in Late Aptian Araripe Basin, NE Brazil
- Mendlowicz Muller, Frasn & Machado Cardoso 2009 Lochkovian, northern Bolivia