

GERMINOSPHAERA Kadasii

Veis in Jankeuskas (editor-in-chief) et al 1989
p. 143, pl. 47, figs. 3 (holotype) - 5

junior synonym of *G. fibrilla* according to
Bullerfield, Knoll & Sweet 1994

- Jankauskas et al. 1989 Early Riphean USSR
Veis Kozlova & Vorobeva 1990 Riphean, S. Urals USSR
Pacitova 2000 (pl. 2, fig. 4) Neoproterozoic, Czech Republic
Veis & Vorobeva 2002 : Riphean
(pl. 1, fig. 19) Uchur-Maya Region, Siberia Russia
Yu 2006 : Precambrian South Anhui, China
Mikhailova & Podkovyrov 1992 (pl. 2, fig. 5) 'Late Riphean,'
Urals Russia
Veis, Vorob'eva & Solubkova 2006 : Late Riphean - earliest Vendian
Vychegda depression NE Margin of E. European Platform, Russia
Semikhatov, Shurkin, Arsevov et al. 1991 'Early Riphean
' Bashkirian Anticlinorium S. Urals, Russia
Long, Tong, Zhu, Zhao, Li & Shi 2007 : Precambrian (Pl. ed)
Danzhou-Tunchang area, Hainan Island, China
Liu, Liu, Li & Yang 2002 : Precambrian
NE Jiangxi Province, China