

GORGONISPHAERIDIUM succinum

Lister 1970

Lister 1970, p. 75, pl. 8, fig. 1-4

> MULTIPLICISPHAERIDIUM by Eirenack et al. 1973
retained in GORGONISPHAERIDIUM by Kiryanov 1978
by Le Hérisse 1989

Lister 1970: Wenlockian - Ludlovian, England

Strother 1996 (pl. 1, fig. 11) Late Wenlock Sweden

Gao 1993 (pl. 1, fig. 14) Ludlovian, Guizhou China

Le Hérisse 1989 (p. 140 pl. 14, figs. 10-13)

• Middle Wenlock - Late Ludlow, Gotland Sweden

Mullins 2001 (p. 83-84 pl. 9, figs. 2-3 pl. 17, figs. 11 & 15)

latest Wenlock - Early Ludlow Shropshire England

Masiak, Podhalańska & Stempień-Satek 2003:

Llandovery (acuminatus - vesiculosus Zones)

Holy Cross Mountains, Poland

Stricane, Munnecke Pross & Servais 2004:

• Early Ludlow, Gotland Sweden

Gelsthorpe 2004: latest Llandovery - earliest Wenlock

Gotland Sweden

Mullins, Aldridge & Siveter 2004: Early Ludlow, Shropshire England

Mullins 2004 (pl. 10, figs 8-9): Early Ludlow,

Shropshire & Herefordshire, England

2
CORCONISPHAERIDIUM succinum

- Stricanne, Munnecke & Pross 2006 : Late Ludlow, Gotland, Sweden
Şöncüoğlu et al 2003 : Ludlow or Wenlock
Camdag area, NW Turkey
Kir'yanov 1978 (p. 55-56, pl. 7, figs 7-9) Ludlow
Volynia - Podolia USSR
Lakova & Şöncüoğlu 2005 (pl. 1, fig. 12) Early Ludlow
Çamdağ, NW Anatolia Turkey
Bonchevi et al. 2009 (text-figure 5.16) : Ludlow
N. Çamdağ, NW Anatolia, Turkey
(cf.) Masiak & Treła 2010b : Early Handoverly (Khuddanian)
Bardo Stawy, Holy Cross Mountains, Poland

