

SUNFLINTIA minuta

Barghoorn in Barghoorn & Tyler 1965 p. 576, Fig. 4, parts 6 & 7
Fig. 6, part 1 (holotype fig 4, part 8)

Phylum Cyanophyta

Class Hormogoneae

Order Oscillatoriales

Family Oscillatoriaceae

Barghoorn & Tyler 1965 : Precambrian (c. 2000 M.yr), Ontario, Canada

Vavrdová 2000 : Neoproterozoic Czech Republic

Kumar & Srivastava 1992 (p. 372 Fig 3b)

Middle Proterozoic, Rajasthan West India

Mc Menamin, Kumar & Awramik 1983

(p. 264, Fig. 10F) : Middle Proterozoic, Son Valley area, Central India

Barghoorn 1971 (p. 52, figure b) : Early Proterozoic (c. 2 billion yrs)
Ontario Canada

Walter, Goode & Hall 1976 : probable Early Paleozoic
(Figs 3a-3b) Western Australia

Muir 1983 (p. 6, cf. Fig. 1) : mid-Proterozoic
Northern Territory Australia

~~Ven~~ Marthy, Venkatachala & Lele 1983 (pl. 2, fig. 23)

Late Precambrian, Ganga Basin India

(cf. G.M.) Zhang 1984b : Late Sinian western Hubei Province, China

(abb.) Sergeev 1992 (p. 97-98, pl. 5, fig. 3) Precambrian
southern Ural Mountains & Middle Asia Russia

(cf.) Acharyya et al. 1989 : Late Proterozoic,
(p. 141, pl. 1, figs. 1 & 3-5 & 11) Kumaon Himalaya, India

2
GUNFLINTIA minuta

Tewari 1996 : Mesoproterozoic, Deoban Mountains,
Lesser Himalaya, India

Knoll, Strother & Rossi 1988 (p. 265, 267, Figs. 6c-e)
Early Proterozoic, Western Australia

Amard & Bertrand-Sarbaty 1997 : Paleoproterozoic (2000 Ma)
(p. 212-213, Figs. 7M-N & 8A-H) Gabon

Sergeev, Semikhatov & Mudrenko 1998 : Paleoproterozoic (ca 1.9 Ga)
(pl. 1, figs. 1-4) Ontario, Canada

Tiwari & Pant 2004b (Figures 3d) : Vendian or younger,
Lesser Himalaya, India

Awramik 1976 (pl. 1, fig. 4) : Middle Precambrian (c. 2000 Ma)
Ontario, Canada

Pflug 1993 (Figure 21.4) : Precambrian, Ontario, Canada (c 2000Ma)

Hofmann 1971b (p. 46, pl. 15, figs. 2-3 & 6) ditto

Weber 1988 (pl. 1, fig. 5) : Precambrian (c 2000Ma) Ontario, Canada

Shukla Tewari & Yadav 1987 : Late Precambrian
(p. 349, pl. 1, figs. 2-6, 9, 12-13, 15) Lesser Himalaya, India

Xiao, Hu, Ding & Liu in Ding et al. 1996: Late Sinian
eastern region of Yangtze Gorges
Zigui County, Hubei Province China

Tewari 1989 (p. 10, figs. 2-7) Late Precambrian,
Western Lesser Himalaya, India

Kumar & Srivastava 1992b: Middle/Late Proterozoic (?/in Riphean)
(p. 312-312, Fig. 10B) Garhwal Himalaya, India

(aff. G.M.) Vavřidová & Mrázek 1991 (p. 341-342, pl. 5, fig. 1)
Late Proterozoic, Western Bohemia, Czechoslovakia

AWramik 1977 (Figures 43-49) Precambrian (ca. 2000 a.yr. old)
north shore of Lake Superior Ontario, Canada

Moreau & Sharp 2004 (illustrated) Precambrian (ca. 1.9 Ga)
Shreider Beach Ontario, Canada

Moreau & Sharp 2000 abstract (fig. 1) ditto

Tiwari & Pant 2009: Neoproterozoic (Ediacaran)
(p. 141, Figs. 6c, fr-fs) Kumaon Lesser Himalaya, India

(cf.) Kumar & Maithy 2008: Ediacaran
Krol Belt, Lesser Himalaya, India

(cf.) Maithy & Kumar 2007: ditto

Cloud & Hagen 1965 (p. 4, Figures 8-13) Precambrian
Ontario, Canada