

LEIOSPHAERIDIA microcystis

Eisenack ex Eisenack 1958a

- 1938 *Bion microcystis* Eisenack, p. 229 *invalid; nomen nudum*
1958a *Leiosphaeridia microcystis* Eisenack proposed "neotype" but must be considered
as holotype p. f-9, pl. 2, fig. 6

Vavrdova 1972: Arenigian, Czechoslovakia

(cf) Mabillard and Aldridge 1985: late Llandoveryan - early Wenlockian England

(cf) Downie 1959 (p. 66, 67, pl. 12, fig. 1): Wenlockian England

Fang 1989 (pl. 1, fig. 1): Llandoveryan, Sichuan, China

Eivénack 1938: Silurian

Diez and Cramer 1977a: Arenigian + Wenlockian records

Johnson 1985 (p. 330, pl. 5, fig. 12): Llandoveryan Pennsylvania USA

Schultz 1967 (p. 181, pl. 1, fig. 12): Late Llandovery Sweden

(cf.) Aristova & Ostrovskii 1975: Early Silurian, Moscow Syncline USSR

Fang & He 1988 (pl. 2, fig. 27): Silurian western Zhejiang, China

(cf.) Downie 1978 (in Poole): Ordovician/Silurian, Coventry area, England

Fang & Hou 1988: Llandovery, Qijiang County, Sichuan Province, China

Fan, Pu, Qi & Han 2007 (Figures 2-3): Early Silurian
Take area, Tarim Basin, NW China