

T'

LEIOVALIA ovalis

(Eisenack 1938)

Gorka 1969 p 75

Eisenack 1938a, p. 27-29, pl. 4, fig. 9 as LEIOFUSIA

1965a *Leiovalia ovalis* (Eisenack) Eisenack, Cramer & Diez, p. 139 invalid; full basionym not referenced

Combarz et al. 1967 : range Arenigian - Ludlovian, Europe

Eisenack 1938 : Ordovician, Baltic

Eisenack 1959 (p. 205, pl. 17, fig. 19-22) Ordovician, Baltic

Görka 1969 (p. 75, pl. 19, figs. 1-4) : late Arenigian Poland

Diez and Cramer 1977a : late Tremadocian - Llanvirnian range

Eisenack 1976a (p. 191, pl. 3, fig. 7) : late Arenig, Öland Sweden (Kunda Stage)

Yan 1985 (pl. 5, fig. 3) : Middle Proterozoic, Northern China

(cf.) Xu 1999 (p. 68 pl. 2, fig. 24) Arenig, Guizhou Province China

Fang 1987 (pl. 3, fig. 11) Arenig, Yunnan Province China

Uutela 1989 (p. 31 pl. 5, fig. 44) : Middle Ordovician, coast of SW. Finland

Fang & He 1988 (pl. 1, figs. 7-10) Silurian, Western Zhejiang China

Xing & Fang 1999 (pl. 15, fig. 3) : Middle Ordovician, Xinjiang China

Hu 2001 (p. 96 pl. 14, fig. 20) : Arenig, Sandu Area Guizhou Province China

(biozones N₁ - N₄ II)

Yan 1991 (pl. 3, fig. 10) : Middle Proterozoic, Pangjiabu Region, Hebei China

Yin & He 2000 (pl. 3, fig. 7) : Late Llandovery

northwestern Zhejiang Province China

2
LEIOVALIA ovalis

Nautiyal 1976b : Late Precambrian, eastern Newfoundland, Canada
§ao 1978 (p. 48, fig. 2) Early Devonian (Nankang Stage)
p Liujing, Heng County, Kwangsi, South China

