

PLICATIDIUM latum

Jankauskas 1980

Jankauskas 1980

pl. 12, fig. 15 (holotype)

filament

- Veis & Vorob'eva 2002 : Riphean, Uchur-Maya region,  
Siberia, Russia
- Veis, Kozlov, Sergeeva & Vorob'eva 2003 (pl. 3, figs. 18-19)  
Late Riphean, southern Urals, Russia
- Yin, Yuan, Bian & Hu 2004 (pl. 4, fig. 3) : late Mesoproterozoic  
northern slope of Qinling Mountains, Shanxi, China
- Veis et al. 2004 (pl. 3, fig. 8) : Late Riphean, Mezen Syncline  
North European Platform, Russia
- Gnilovskaya et al. 2000 : Late Riphean, Timan, Russia
- Veis, Petrov & Vorob'eva 1998 : Late Riphean,  
Turukhansk Uplift, Siberia, Russia
- Petrov & Veis 1995 (pl. 3, fig. 18) : Late Riphean,  
Turukhansk Uplift, Siberia, Russia
- Jankauskas et al. 1989 (p. 139, pl. 41, figs. 3-4) : Late Riphean, USSR
- Veis, Vorob'eva & Golubkova 2006 : Early Vendian  
Vychegda depression, NE Margin of E. European Platform, Russia
- Vorob'eva, Sergeev & Semikhatov 2006 : Early Vendian,  
southern Timan region, Russia

2  
PLICATIDIUM latum

- Sergeev, Vorob'eva & Petrov 2007 (pl. 1, fig. 19): Early Riphean  
North Anabar Region Northern Siberia
- (cf.) Stanevich, Sovetov, Kornilova & Galushkina 2006  
(plate, figure 37) Neoproterozoic Sayan area East Siberia
- Khomentovskiy, Nagovitsin & Postnikov 2006:  
Early-mid Late Riphean (Uchurian-Lakhandinian):  
Siberian Platform Russia
- Semikhatov, Shurkin, Akserov et al. 1991: Late Riphean  
Bashkirian Anticlinorium South Urals Russia
- (cf.) Stanevich, Nemerov & Chatta 2006: Late Proterozoic  
(pl. 9, fig. 7) Sayan-Baikal folded area Siberia Russia
- \* Stanevich, Nemerov, Sovetov et al. 2005 (pl. 1, fig. 32) Late Riphean  
Biryusa River East Siberia Russia

