

T  
PROLATOFORMA aculeata

Mikhailova in Mikhailova and Podkovyrov 1992 p.48 pl. 19, fig. 6, 8 pl. 20, fig. 1-3

1992 Prolatoforma aculeata Mikhailova & Podkovyrov  
p. 119 nomen nudum

Yakshin, Nagovitsin & Faizullin 2004 : Late Precambrian, Siberian Platform

Veis, Petrov & Vorob'eva 1999 Late Riphean Siberia

(pl. 1, figs 18-19 & 21)

Veis & Vorob'eva 2002 (pl. 3, figs 3 & 6-7 & 11) Riphean  
Uchur-Maya region Siberia Russia

Veis, Kozlov, Sergeeva & Vorob'eva 2003 : Late Riphean  
southern Urals Russia

Veis et al. 2004 (pl. 1, figs 1-2 & 8-11) : Late Riphean  
Mezen Syncline, North European Platform Russia

Snitovskaya et al. 2000 (pl. 1, figs. 10 & 13) : Late Riphean,  
Timan, Russia

Veis, Petrov & Vorob'eva 1998 (pl. 1, fig. 5) : Late Riphean,  
Turukhansk Uplift, Siberia, Russia

Petrov & Veis 1995 : Late Riphean,  
Turukhansk Uplift, Siberia, Russia

Mikhailova & Podkovyrov 1992 : 'Late Riphean', Urals Russia  
(pl. 2, figs. 7-8)

Vorob'eva, Sergeev & Semikhatov 2006 : Early Vendian  
southern Timan region, Russia  
(Figure 2 p)

2  
PROLATOFORMA aculeata

Vorob'eva, Sergeev and Knoll 2009 (p.180, Figs. 8.10, 8.12)

Neoproterozoic (Late Riphean - early Cryogenian)

NE margin of East European Platform, Russia

Vorob'eva, Sergeev, Knoll 2009b (Figure 4v) latest Riphean?

Timan trough region northern Russia

Semikhatov 2008b: Late Riphean

Turukhansk Basin Central Siberia Russia

Early Vendian (Lapland Horizon)

South Urals? Russia

