

r 1

SATKA *favosa*

Jankauskas 1979a

Jankauskas 1979a p. 1466 pl. 1, figs 1-3, 5, 19 (holotype fig. 3)

Jankauskas 1979a: Early Riphean USSR = South Urals

Javaux, Knoll & Walter 2001: early Mesoproterozoic
(Figure 1f) northern Australia

Javaux, Knoll & Walter 2003 (p. 81, Figs. 1.10, + see Fig. 1.11)
early Mesoproterozoic, northern Australia

Javaux, Knoll & Walter 2004 (p. 125, Figs. 3a-f)
mid-Proterozoic (1500-1400 Ma), Australia

Hong, Jia, Yin & Zheng 2004 (pl. 1, fig. 6): Neoproterozoic
Huianan Region eastern China

Jankauskas (editor-in-chief) et al. 1989 (p. 51, pl. 4, figs. 1-2)
Early-Late Riphean, USSR

Jankauskas 1982 (p. 101, pl. 32, figs. 1-3 & 5-7 & 32)
Early-Middle Riphean, South Urals USSR

Mikhaïlova & Podkovyrov 1992 (pl. 1, fig. 11): Early Riphean
Urals, Russia

Javaux & Marshall 2006: early Mesoproterozoic
(Figures 2.6-2.8) northern Australia

Keller & Jankauskas 1980: E.-M. Riphean, S. Urals, USSR

SATKA favosa

Prasad and Asher 2001 : early Middle Riphean
Ganga Basin northern India

Knoll, Javaux, Hewitt } Cohen 2006 (Figs 2c & 2f)
Early Mesoproterozoic, northern Australia

Javaux 2007 (p 25)

Semikhatov, Shurkin, Arsevov et al. 1991 : Early Riphean
Bashkirian Anticlinorium, South Ural, Russia

Semikhatov 2003 : Early Riphean, South Ural, Russia