

SATKA granulosa

Jankauskas 1970^a

Jankauskas 1970^a p. 1436 pl. 1, fig. 3 (holotype), 4 [= figure 1, numbers 3-4]

[English translation p. 116]

- Jankauskas 1980^a: Late Proterozoic (Vendian) USSR
- Zang & Walter 1992^b (p 305, 307 pl. 7, figs (-E))
Sinian central-eastern China
- Veis & Semikhatov 1989 (pl. 2, fig. 9) Early Riphean E. Siberia USSR
- Grausman 1997: Riphean Western Yakutia, Siberia USSR
- Jankauskas 1985: Vendian Urals USSR
- Khomentovskiy & Nagovitsyn 1998: Late Riphean Siberia USSR
- Veis & Vorobeva 2002: Riphean, Uchur-Maya Region Siberia
- Hong, Jia, Yin & Zheng 2004 (pl. 1, fig. 10): Neoproterozoic
Huainan Region eastern China
- Jankauskas (editor-in-chief) et al. 1989 (p. 52, pl. 4, figs. 8-10),
Vendian USSR
- Jankauskas 1982: 'Vendian South' Urals USSR
- Keller & Jankauskas 1980: 'Vendian South Urals' USSR
- Kochnev, Nagovitsyn & Farzullin 2007: Late Riphean
(figures 2.1-2.2) Yenisei Ridge, Lower Angara area
SW Siberian Platform

SATKA granulosa

Khomentovskiy, Nagovitsin & Postnikov 2008 :
mid Late Riphean (early Lakhandian) Siberian Platform Russia