

SCHIZOCYSTIA laevigata

Cookson - Eisenack 1962

C. - E. 1962, p. 270, pl. 37, fig. 13 (holotype), 14

C. & E. 1962 : ? Late Albian-Cenomanian, W. Australia
Singh 1971 (p. 430, pl. 80, fig. 7-9) : Late Albian W. Canada
May & Minard 1960 Late Campanian Maryland USA
Chlenova 1976 (p. 63, pl. 20, fig. 21) Cretaceous, West Siberia

SCHIZOCYSTIA laevigata

Chlonova 1980 (pl. 1, fig. 7) ? Albian - Cenomanian W. Siberia
Sweet in Gibson 1992: Middle / Late Albian B.C, Canada
Khomentovskiy et al. 1999: Late Santonian, North Siberia Russia

* (cf.) Bejnar & Lessard 1976: Aptian (Albian) New Mexico, USA

* NB age not confirmed by Lucas et al. 1986 who consider the taxa recorded by Bejnar & Lessard to be long-ranging Cretaceous taxa

Batten, Street, Dussar & Bless 1987: Late Santonian
(pl. 1, fig. 3f) north-eastern Belgium

Chlonova 1976c (pl. 1, fig. 8) ? Albian / Cenomanian
West Siberia, USSR

Svobodová 2006 b (Figure 2) Mid Cenomanian
near Zápy, Polabi area Bohemian Cretaceous Basin, Czech Republic

Chlonova 1976 (p. 63 pl. 20, fig. 21) Albian? / Cenomanian
Kya River, West Siberia, USSR