

T

SOLITA radians

Cramer 1967

Cramer 1967, p. 236

1964<sup>a</sup> *Sot radians* Cramer, p. 330, pl. 16, fig. 7, f (nom. occup.)

Cramer 1970<sup>c</sup>, p. 196 also claims corrected name

retained in SOL

Le Hérisse, Dorning, Mullins & Wicander 2009 (pl. 1, fig. 7):  
Silurian, Saudi Arabia

Crane 1964: Ludlowian-early Gedinian (part) NW Spain

Deuff - Paris 1972 (p. 45, pl. 1, fig. 3): late Silurian, France

Crane 1970a (p. 196, pl. 19, fig. 286-287, 293, 295): Wenlockian-early Gedinian range

Downie 1984 (fig. 6, 51): early Wenlockian, Britain

(fig. 8, 2) early Wenlockian-Gedinian range

Diez and Cramer 1977a: Early Llandoveryan-late Gedinian range

Tappan 1980 (Figure 3.10, 1) Late Devonian Ohio USA

Steele 1989a (p. 316, pl. 15, figs. 18-19, text-fig. 194): E. Lochkovian, France

Fang 1987 (pl. 10, fig. 13) Lianvorn, Yunnan Province China

Rodriguez 1983 (pl. 12, fig. 22) Ludlow (Prídolí - Prídolí), N. Spain

Le Hérisse 2000 (pl. 3, fig. f) Llandovery (Middle Rhuddanian)

Saudi Arabia

Hu 2001 (p. 75, pl. 14, fig. 9): Arenig, Sandu Area, Guizhou Province China

(biozone N<sub>4</sub> I)

Jordan, Ilescu, Visarion et al. 1984: Prídolí, Moesian Platform, Romania

Vanguetstaine & Wauthoz 2003: Late Llandovery (Late Telychian)

Basècles Belgium