

1
SYNSPHAERIDIUM gotlandicum

Eisenack 1965c

Eisenack 1965c, p. 26f pl. 23, fig. 1 (holotype) 2

Vavrdova 1972 : Arenigian, Czechoslovakia

Vavrdova 1977 : Early Llanwrnan, Czechoslovakia

(cf) Li Jun 1987 (p. 624, 626, pl. 71, fig 2) : Early Arenigian SW China

Eisenack 1965c : Wenlockian

(cf) Tappan 1980 (Fig. 3.2, 1) : Middle Ordovician Oklahoma USA

Aristova 1976b : Early Silurian Moscow Syncline USSR

(cf) Yan & Li 2005 : Arenig, Tongzi, Guizhou China

(Early Ordovician Stage 2 - Middle Ordovician)

Prasad, Uniyal & Asher 2005 : Neoproterozoic

(pl. 9, figs. 13-14 & 21) Son Valley, Madhya Pradesh India

(cf) Prasad & Asher 2001 (pl. 8, figs 4-5) : early Middle Riphean

Ganga Basin, northern India

(cf) Li & Yan 2006 (Fig. 3-b.2.4) : Early Ordovician (Stage 2c) /

Middle Ordovician (Darrwillian, Stage 3a / 3b)

(*Oebefidus* / *hirundo* graptolite zones)

Tongzi County, Guizhou Province, S. China

(cf) Yan, Li & Liu 2005 : Early - Middle Ordovician, South China

(*C. oebefidus* - *E. hirundo* graptolite zones)

SYNSPHAERIDIUM gotlandicum

Li, Servais & Yan 2010 : Middle Ordovician (Dapingian)
Daping & Huangkuachang Hubei Province, South China

