

1

THYSANOPROBOLUS polykion

Loeblich - Tappan 1970

Loeblich - Tappan 1970, p. 266, figs 1-12 (holotype 10-12)

Jr syn of *MULTIPLICIOPHAERIDIUM bonitum* according to Evenack et al 1973

1971 *Vesysphaera jardineae* (Cramer) Deunff, p. 45, pl. 1, fig. 14

Loeblich - Tapp 1970: Late Gedinian, Oklahoma, USA

Loeblich - Wicander 1976 (p. 25-26, pl. 8, fig. 4-8): Late Gedinian, Oklahoma, USA

Deuff 1980 (p. 513-514, pl. 1, fig. 8): Gedinian, France

Tappan 1980 (Figure 3.31, 1-2) Early Devonian Oklahoma, USA

Steenmans 1989a (p. 318 pl. 16, figs. 3-4, text-fig. 200) = E. Lochkovian France

Le Hérisse, Gourvenec & Wicander 1997 (pl. 2, fig. 5) = Lochkovian Libya

(pl. 2, fig. 6) = Early Devonian, Oklahoma, USA

Le Hérisse 2002 = Lochkovian, Ghadames Basin,

(p. 389 pl. 4, fig. 6), Tripolitania, northwestern Libya

Rubinstein, Le Hérisse & Steenmans 2008 (Figs. 7.19-7.20, p. 4)

Late Lochkovian, Solimões Basin, northwestern Brazil

Molyneux, Le Hérisse & Wicander 1996 (pl. 4, fig. 4)

Gedinian Oklahoma, Canada

Le Hérisse, Dornig, Mullins & Wicander 2009 (pl. 3, fig. 15)

Early Devonian Armorican Massif, France