

1
TRACHYSPHAERIDIUM chihsiense

Liu and Xing in Xing & Liu 1973
p. 16, 54, pl. 6, fig 2-3 (holotype 3)

= Liu & Sin in Sin & Liu

= Vendian

- Liu & Xing in Xing & Liu 1973 : Late Sinian China
Fu 1986a (pl. 1, fig. 12) } Early Sinian Shaanxi Province China
(cf.) Fu 1986a (pl. 1, fig. 13) }
Sun 1995 (pl. 1, fig. 17) = Sinian Inner Mongolia
Sun 1992 (pl. 1, fig. 14) : Presinian Jiangxi Province China
Sun 1989 (p. Middle/Late Proterozoic Hebei Province China
(aff.) Yin 1985 (pl. 1, fig. 23) : Late Precambrian Huainan Region
Anhui Province China
Song 1986 : Late Proterozoic Gansu Province China
Gao, Xing & Liu 1995 : Neoproterozoic, Jilin Province China
Ding 1996 : Proterozoic Western Henan China
Tang & Gao 1999 : Neoproterozoic, Beijing area, China
Sun 2005 : Neoproterozoic (800-900 Ma), Yanshan region, North China
Cao Zhao & Xiao 1983 : Precambrian (Tsingparkou System) China
Chengdu Institute of Geology and Mineral Resources et al 1992
Cambrian, Nujiang-Lancangjiang-Jingshajiang region China
Feng, Feng, Rong & Du 1983 : Sinian, Henan Province China
Chang 1996 : early Late Proterozoic, Jiangnan accretionary fold belt
South China

TRACHYSPHAERIDIUM chihhsienense

Sao, Peng, Li, Qian and Zhu 1980 : Early-Late Sinian
Qurugtlagh, Xinjiang, China

Zhao, Zhang, Zou, Wang & Hu 1980 : Sinian, NW China

Cao, Wu, Fe, Luo & Liang 1980 : Sinian, Jinning County, Yunnan, China

Chen, Zhang, Zhu, Zhao & Wang 1980 : Sinian, Jixian, Tianjin, China

Suan, Pan, Feng, Kong & Du 1980 (pl. 11, fig. 10) : Sinian,
northern slope of Eastern Qinling Ranges China

Yang, Zhang, Zheng & Xu 1980 : Sinian, northern Jiangsu / Anhui, China

Xing in Xing et al. 1989 (pl. 2, fig. 5) Late Precambrian China

