

T

VIRGATASPORITES rudii

Combag 1967b

Combag 1967b, pp. 12-13, pl. 1, figs 27, 28 (fig 27 = holotype) as rudii

considered an acritarch - Rasal & Downie 1974, p. 6
illegally transferred to Abacum by Pittau 1985 p. 167

- Nombaz 1967b: Early Tremadocian, Algeria
 Rasal & Downie 1974: Tremadocian, England (Early-Late)
 Nombaz 1967a (Fig. 10, 11): Early Tremadocian Algeria
 Vavrdová 1990b (pl. 3, fig. 6): late Arenigian Czechoslovakia
 Vavrdová 1993 (pl. 1, fig. 9) late Early Arenig: Czech Republic
 Herbosch, Vanguerstaine et al. 1991: Tremadocian Belgium
 Fombella Blanco 1983b (pl. 1, fig. 5) Tremadocian N. Spain
 Vavrdová 1992 (pl. 5, fig. 4) late Arenig Czechoslovakia
 Jachowicz 1995 (pl. 1, fig. 1): Tremadoc / Ashgill, Saudi Arabia
 Pittau 1985 (p. 167-168, pl. 8, figs. 9 & 14, text-fig. 2): Tremadoc Sardinia
 Gao 1991b (pl. 2, fig. 15): Arenig Yunnan Province China
 Servais & Molyneux 1997: Late Tremadoc / Early Arenig
 (p. 136-137 pl. 10, fig. 17) Baltic Sea NE Germany
 Fang 1987 (p. 150 pl. 2, figs. 8-9) Arenig, Yunnan Province China
 Vecoli et al. 1999: Tremadoc Algerian Sahara
 Molyneux & Al-Hajri 2000 (pl. 1, fig. f) Arenig / Llanvirn
 Central Arabian Basin Saudi Arabia

VIRGATASPORITES rudii

Combaz 1967 b

- (cf.) Vergel, Araújo & Rubinstern 2002 (pl. 2, fig. 17):
 Llanvirn, Salta Province, NW Argentina
- Vecoli 1999 (p. 62, pl. 15, fig. 8): early Tremadoc, Tunisia
- Breuer & Vanguestaine 2004 (pl. 3, fig. 14):
 latest Tremadoc, Stavelot Inlier, Belgium
- Vecoli & Le Hérisse 2004: 'Early Tremadoc - Arenig (= Stage 2)'
 Northern Gondwana (= baculata chit. zone Paris 1990)
- Albani et al. 2006 (pl. 2, fig. 8): early Late Cambrian
 El Fabar Tunnel, Asturias N. Spain
- Paris, Le Hérisse, Monod et al. 2007 (pl. 5, fig. 10):
 Middle Ordovician (Darrivillan = Llanvirn)
 Border Folds SE Turkey
- Al-Husseini 2010: Arenig/Llanvirn Saudi Arabia